

PHAP19-00014

Date: March 11, 2019

Application Type:Certificate of AppropriatenessProperty Owner:Arthur and Irma RodriguezRepresentative:Edgar and Griselda Gomar

Legal Description: 8 Castle Heights 30 To 33 (12000 Sq. Ft.), City of El Paso, El Paso

County, Texas

Historic District: Manhattan Heights Location: Manhattan Heights 3000 Silver Avenue

Representative District: #2

Existing Zoning: R-3/H (Residential/Historic)

Year Built: 1928

Historic Status: Contributing

Request: Certificate of Appropriateness for alterations to front yard to include

construction of rockwalls, installation of pavers, landscaping, and

irrigation

Application Filed: 2/25/2019 **45 Day Expiration:** 4/11/2019



GENERAL INFORMATION:

The applicant seeks approval for:

Certificate of Appropriateness for alterations to front yard to include construction of rockwalls, installation of pavers, landscaping, and irrigation

STAFF RECOMMENDATION:

The Historic Preservation Office recommends APPROVAL WITH MODIFICATIONS of the proposed scope of work based on the following recommendations:

The Design Guidelines for El Paso's Historic Districts, Sites, and Properties recommend the following:

- Landscaping is an inherent part of a building's siting and design. Good landscaping reinforces the architectural qualities of a structure and its context. When new landscaping is planned, it should be designed to complement the structure and the streetscape. Materials which can be documented as being historic to the area should be given first priority.
- Maintain the property's natural topography, and avoid grading that adversely affects
 drainage and soil stability or could negatively impact existing trees. Slopes shall not be
 paved.
- Retain historic landscape materials such as brick or pavers.
- Grass and sod may be removed from front yards, side yards on a corner provided not more than 50% of the area is covered with gravel or other masonry. Grass and sod may be removed from parkways provided not more than 50% of the area is covered with gravel or other masonry that is made of impervious materials (brick pavers, gravel, and masonry pavers). The remaining 50% must be covered with trees and living plants that provide ground cover.
- Introduce new retaining walls constructed of brick, stone, or stucco covered concrete in a design consistent with the property and the neighborhood. It is not appropriate to construct retaining walls of inappropriate materials such as landscape timbers, railroad ties, or concrete blocks where visible from the street.
- Retaining walls facing the street should be constructed according to the original design and materials.
- The height of the proposed fence should complement the structure and should not obstruct the public's view of the building. Any proposed fence higher than 32" solid or 48" open, measured from ground level, at front property line or a side yard property line on a corner lot, shall be reviewed by the HLC.

The Secretary of the Interior's Standards for Rehabilitation recommend the following:

- The historic character of a property shall be retained and preserved. The removal of historic materials or alteration of features and spaces that characterize a property shall be avoided.
- New additions, exterior alterations, or related new construction will not destroy historic materials, features, and spatial relationships that characterize the property.
- New additions and adjacent or related new construction shall be undertaken in such a
 manner that if removed in the future, the essential form and integrity of the historic
 property and its environment would be unimpaired.

The modifications are that the yard and parkway be covered 50% with living ground cover and that the walls be eliminated from the proposal.

AERIAL MAP



PLANS AND ELEVATIONS

